



High Density Linear Polyethylene Single Wall Tank Value-Paks



Silver Pak



Gold Pak



Platinum Pak

Single Wall Tanks are manufactured from a high purity FDA approved HDPE (High Density Linear Polyethylene) resin. HDPE tanks have superior chemical resistance, extreme durability and excellent UV stabilizers, making them an ideal choice for a wide range of applications from food processing and semiconductor to heavy duty industrial chemical storage. All of our tanks are also NSF 61 compliant.

HDPE resins are weldable, allowing for installation of welded process nozzles from 1/2" to 14" and larger if required.

Our tanks are rated for temperatures up to 120°F and higher with special upgraded enhancements upon request.

Our standard tanks are rated for 1.5 Specific Gravity contents. We offer 1.9 SPG tanks upon request.

Tank Packages designed with our most popular options making Single Wall Tank Systems simple, feature rich and easy to order.








Custom Designed and Engineered Tank Solutions
High Quality Polyethylene Single Wall Vertical Tanks.

Pre-Configured Engineered Tank Value-Paks





Tank drawing is for representation only; actual tank and features may differ.

Silver Description

Each Value-Pak includes ProChem® Tank with vented twist lid, drain and fill connection, 2" electronic level connection, PVC/EPDM shut-off valve.

CAD Submittal Drawings are provided to ensure the tank meets the needs of your application.

Shipping Prep includes everything needed to protect your tank from the elements during transit

PVC/EPDM Bulkhead Fittings and PVC/EPDM TxT Ball Valve. *EPDM seals can be upgraded to viton at additional cost. Std. Duty 1.5 Rated Tank - Heavy Duty 1.9 Available at additional cost. Std. Fitting sizes - 1" under 200 Gals., 2" 200 Gallons and Larger.



Gold Pak Features

Gold Description

All features of Silver Pak are included with the following changes/additions.

Includes welded Polyethylene Couplings in lieu of Bulkhead Fittings (Choice of Threaded or Flanged Connections) Tanks under 72" Ht provided with 90 deg ell, Male PPL Quick Coupler, Cap & Lanyard on Fill Connection.

On Tanks over 72" Ht. PVC/EPDM Truck Fill Connection with PVC/EPDM Ball Valve, Check Valve and PVC Drop Line, PPL Quick Coupler, PVC/EPDM TxT Ball Valve on drain connection and Lifting Lugs, Cap and Lanyard mounted to tank sidewall at 42" elevation,

*EPDM seals can be upgraded to viton at additional cost. Std. Fitting sizes - 1" under 200 Gals., 2" 200 Gallons and Larger



Platinum Pak Features

Platinum Description

Includes all Silver and Gold Pak Features

Inverse Level Gauge (mini-Inverse on tanks up to 1500 Gals and Std. Inverse Level Gauge on tanks larger than 1500 Gals.)

Fiberglass Access Ladder are OSHA compliant, corrosion resistant and attaches directly to tank for easy top access. All ladder systems come with required mounting hardware included. (Ladders are not included on tanks shorter than 65")

Pre-Configured Engineered Tank Value-Paks

Capacities and Part Numbers

| SW VP | Avail | Dia | Hgt | Lid | Ftg | Silver PN | Gold PN | Platinum PN |
|--------------------|-------|-------|---------|-----|-----|--------------|------------|----------------|
| 25 Gallon SW VP | Α | 19.5" | 26.25" | 8" | 1" | 293-34491 | 293-34499 | 293-34507 |
| 40 Gallon SW VP | Α | 18" | 42" | 8" | 1" | 293-35252 | 293-35254 | 293-35256 |
| 50 Gallon SW VP | Α | 19.5" | 47.25" | 8" | 1" | 293-34492 | 293-34500 | 293-34508 |
| 65 Gallon SW VP | Α | 23" | 43" | 8" | 1" | 293-34493 | 293-34501 | 293-34509 |
| 75 Gallon SW VP | Α | 27" | 40" | 8" | 1" | 293-34494 | 293-34502 | 293-34510 |
| 100 Gallon SW VP | Α | 27" | 47.75" | 8" | 1" | 293-34495 | 293-34503 | 293-34511 |
| 125 Gallon SW VP | Α | 27" | 59.25" | 8" | 1" | 293-34496 | 293-34504 | 293-34512 |
| 175 GallonSW VP | W | 34" | 55" | 8" | 1" | 293-34497 | 293-34505 | 293-34513 |
| 175 Gallon SW VP | Е | 34" | 55" | 16" | 1" | 293-35566 | 293-35567 | 293-35568 |
| 200 Gallon SW VP | Α | 34" | 61" | 8" | 2" | 293-34498 | 293-34506 | 293-34514 |
| 265 Gallon SW VP | Е | 31" | 90.625" | 8" | 2" | 293-35253 | 293-35255 | 293-35257 |
| 300 Gallon SW VP | W | 34" | 85" | 8" | 2" | 293-34515 | 293-34522 | 293-34529 |
| 300 Gallon SW VP | Е | 34" | 85" | 16" | 2" | 293-35569 | 293-35570 | 293-35571 |
| 300 Gallon SW VP | E | 48" | 51.5" | 16" | 2" | 293-34516 | 293-34523 | 293-34530 |
| 525 Gallon SW VP | Α | 48" | 82" | 16" | 2" | 293-34517 | 293-34524 | 293-34531 |
| 550 Gallon SW VP | W | 73" | 45" | 16" | 2" | 293-34518 | 293-34525 | 293-34532 |
| 575 Gallon SW VP | Е | 64" | 48" | 16" | 2" | 293-35572 | 293-35573 | 293-35574 |
| 750 Gallon SW VP | Α | 48" | 112" | 16" | 2" | 293-34519 | 293-34526 | 293-34533 |
| 1000 Gallon SW VP | Α | 64" | 82" | 16" | 2" | 293-35587 | 293-35588 | 293-35589 |
| 1000 Gallon SW VP | W | 73" | 68" | 16" | 2" | 293-34520 | 293-34527 | 293-34534 |
| 1500 Gallon SW VP | W | 73" | 96" | 16" | 2" | 293-34521 | 293-34528 | 293-34535 |
| 1500 Gallon SW VP | Е | 64" | 116" | 16" | 2" | 293-29110 | 293-29132 | 293-29154 |
| 2100 Gallon SW VP | Α | 87" | 89" | 16" | 2" | 293-29112 | 293-29134 | 293-29156 |
| 2500 Gallon SW VP | Α | 95" | 91" | 16" | 2" | 293-29113 | 293-29135 | 293-29157 |
| 3000 Gallon SW VP | Α | 95" | 109" | 16" | 2" | 293-29114 | 293-29136 | 293-29158 |
| 5000 Gallon SW VP | Α | 102" | 152" | 16" | 2" | 293-29116 | 293-29138 | 293-29160 |
| 6000 Gallon SW VP | W | 102" | 182" | 16" | 2" | 293-29117 | 293-29139 | 293-29161 |
| 6100 Gallon SW VP | Е | 119" | 140" | 16" | 2" | 293-35575 | 293-35576 | 293-35577 |
| 6500 Gallon SW VP | W | 119" | 150" | 16" | 2" | 293-29118 | 293-29140 | 293-29162 |
| 6500 Gallon SW VP | Е | 120" | 147" | 16" | 2" | 293-35462 | 293-35463 | 293-35464 |
| 6502 Gallon SW VP | Е | 102" | 196" | 16" | 2" | 293-35578 | 293-35579 | 293-35580 |
| 7800 Gallon SW VP | W | 119" | 176" | 16" | 2" | 293-29119 | 293-29141 | 293-29163 |
| 8400 Gallon SW VP | W | 119" | 188″ | 16" | 2" | 293-29120 | 293-29142 | 293-29164 |
| 8400 Gallon SW VP | Е | 120" | 187" | 16" | 2" | 293-35465 | 293-35466 | 293-35467 |
| 10000 Gallon SW VP | W | 141" | 160" | 22" | 2" | 293-29122 | 293-29144 | 293-29166 |
| 10500 Gallon SW VP | Е | 130" | 202" | 16" | 2" | 293-35581 | 293-35582 | 293-35583 |
| 12000 Gallon SW VP | W | 141" | 193″ | 22" | 2" | 293-29123 | 293-29145 | 293-29167 |
| 13000 Gallon SW VP | Е | 144" | 198" | 22" | 2" | 293-35584 | 293-35585 | 293-35586 |
| 15500 Gallon SW VP | W | 141" | 244" | 22" | 2" | 293-34707 | 293-34708 | 293-34709 |

Availability Key: A=All; W = West Coast - Corona CA; E = East Coast - Liberty SC

Peabody Engineering's commitment is to provide the most intuitively designed, high quality products to our customers available anywhere.

We will work with "No Boundaries" in honoring God by serving people in need through integrity and a passion for excellence in all we do.



4Peabody.com | Sales@4Peabody.com 800-4-PEABODY (951) 734-7711 | 13435 Estelle Street, Corona, CA 92879 (864) 866-3777 | 230 Financial Blvd., Liberty, SC 29657

©2024 Peabody Engineering, LLC All rights reserved.





Commit to the Lord whatever you do and your plans will succeed. Proverbs 10:3

<u>DISTRIBUTED BY</u>